

Laboratory Name/Address: IMR KHA Portland
5687 SE International Way, Ste. A
Portland, OR 97222 USA

WARNING

This document is the property of United Technologies Corporation (UTC). You may not possess, use, copy or disclose this document or any information in it, for any purpose, including without limitation to design, manufacture, or repair parts, or obtain FAA or other government approval to do so, without UTC's express written permission. Neither receipt nor possession of this document alone, from any source, constitutes such permission. Possession, use, copying or disclosure by anyone without UTC's express written permission is not authorized and may result in criminal and/or civil liability.

APPLIES TO: Pratt & Whitney Group


1. GENERAL



- 1.1 Applicable Test Codes: **1,2,3,4,5,6,7,7a,7c,7f,9,11,12,12a,13**
- 1.2 This authorization is applicable for Production and Experimental product to Pratt & Whitney Group (P&W North & South).
- 1.3 This laboratory has been authorized to operate under Pratt & Whitney Group system with regard to testing of P&W Group specified materials and processes for orders placed by P&W Group (or by P&W Group subcontractors whose orders to supplier specify this system of control). Applicable controls are those outlined in P&W-MCL Manual Section F-23, with the modifications or additional requirements shown below.
- 1.4 By acceptance of the terms of this Authorization, supplier certifies that all testing performed there under will be conducted in accordance with applicable specification requirements except as specifically stated to the contrary by written notification through Purchasing to Manager, Supplier Metallurgical Control, MCL 114-47, Pratt & Whitney (P&W South), East Hartford, CT 06118; or Manager, Materials Technology and Quality, M/S 01A13, Pratt & Whitney Canada Inc (P&W North) 1000 Marie-Victorin Blvd., Longueuil, Quebec, J4G 1A1, as appropriate, not later than the date of shipment. Testing records (as defined in P&W-MCL Manual Section F-23) will be kept on file and available for examination.
- 1.5 Non-Disclosure Agreement # (If applicable) N/A

2. MODIFICATIONS: None.

3. ADDED REQUIREMENTS: None.

4. NATURE OF CHANGE FOR THIS ISSUE: Initial issue. Added code 13 to test codes

ACCEPTED FOR: IMR KHA Portland
BY: Alexis Puerta
TITLE: Quality Manager
DATE: 4/9/2021
SIGNATURE: 

APPROVED BY:  Date: 3/27/21
Jonathan Scudder, Discipline Chief P&W South - MCL/Quality & Process Engineering
APPROVED BY:  Date: 03/27/2021
Francois-Simon Gauthier - Supervisor, P&W North - Supplier Metallurgical Development

For purposes of this agreement, electronic facsimiles of signatures are considered acceptable. Signatures need not appear on the same page; more than one signature page may be present.

(IMR KHA Portland)

End of Document

COMPLETED FORM:

- THIS FORM CONTAINS NO TECHNICAL DATA SUBJECT TO THE EAR OR THE ITAR
- EXPORT MARKING (REVIEW BY AN EXPORT REPRESENTATIVE REQUIRED):